





Cenik SILEX Technology



SILEX (ex TROY) tiskalniški strežniki, serijski strežniki & SILEX tiskalniški strežniki, USB device strežniki, Network Display Adapterji,

Novejši proizvodi: **SX-3000GB** (Gigabit USB device server) in **NetDA-1** (Network Display Adapter)

Cenik s cenami vam na vašo zahtevo pošljemo po e-mailu.




Koda	TROY-> SILEX tiskalniški strežniki (TWC->SLX)	cena/kos (EUR)
SX-100 	PocketBasic (stara koda: TROY-1003) (To je PocketPro 100s z manj protokoli in opcijami) 1x Paralelni port (Centronics/IEEE 1284 Bi-Directional/ ECP) Ethernet prikllop: 10/100 Mbit/s (UTP) Podpora za: TCP/IP (Windows Xp/Vista/Windows 7/2003/2008, ...UNIX, Linux...) Apple Talk Konfiguracija: web, ExtendView, ukazi (telnet),...	po ponudbi A
SX-2933S 	PocketPro 100S (stara koda: TROY-2933s) 1x Paralelni port (Centronics/IEEE 1284 Bi-Directional/ ECP) Ethernet prikllop: 10/100 Mbit/s (UTP) Podpora za: TCP/IP (Windows Xp/Vista/Windows 7/2003/2008, ...UNIX, Linux...) Novell NetWare IPX (NDS& NDPS, NDPS over HP Gateway) IPP - Internet Printing protokol, e-mail printing Apple Talk, DLC, NetBIOS/IP, NetBEUI LAT (Open VMS) Konfiguracija: web, ExtendView, ukazi (telnet), SNMP (MIB),... 802.1x security: PEAP, FAST, TLS, TTLS EAP; EAP-LEAP SSL for Secure Telnet, HTTPS for secure configuration	po ponudbi A
SX-200-0213 	SX-200 USB + Paralel (stara koda: TROY200-0213) 1x USB 2.0 port (tudi USB 1.1)-do max. 8-port preko HUB-a 1x Paralelni port (Centronics/IEEE 1284 Bi-Directional/ ECP) Ethernet prikllop: 10/100 Mbit/s (UTP) Podpora za: TCP/IP (Windows Xp/Vista/Windows 7/2003/2008, ...UNIX, Linux...) Novell NetWare IPX (NDS& NDPS, NDPS over HP Gateway) IPP - Internet Printing protokol Apple Talk, DLC, NetBIOS/IP, NetBEUI LAT (Open VMS) Konfiguracija: web, ExtendView, ukazi (telnet), SNMP (MIB),... 802.1x security: PEAP, FAST, TLS, TTLS EAP; EAP-LEAP SSL for Secure Telnet, HTTPS for secure configuration	EOL





Koda	TROY-> SILEX tiskalniški strežniki (TWC->SLX) Wireless & LAN	cena/kos (EUR)
SX-200-1213 	SX-200 USB + Paralel, WLAN (stara koda: TROY200-1213) 1x USB 2.0 port (tudi USB 1.1 kompatibilen) 1x Paralelni port (Centronics/IEEE 1284 Bi-Directional/ ECP) Wireless 802.11 a/b/g , Ethernet 10/100 Mbit/s (UTP) Podpora za: TCP/IP (Windows Xp/Vista/Windows 7/2003/2008, ...UNIX, Linux...) Novell NetWare IPX (NDS& NDPS, NDPS over HP Gateway) IPP - Internet Printing protokol Apple Talk, DLC, NetBIOS/IP, NetBEUI LAT (Open VMS) Konfiguracija: web, ExtendView, ukazi (telnet), SNMP (MIB),... 802.1x security: PEAP, FAST, TLS, TTLS EAP; EAP-LEAP SSL for Secure Telnet, HTTPS for secure configuration WPA, WPA2, Dynamic WEP and CMIC	EOL


Koda	Serijski strežniki / tiskalniški strežniki 1x serijski port RS232 (konektor DB9M)	cena/kos (EUR)
SX-500-0033 	1-portni serijski strežnik / tiskalniški strežnik 1x serijski port: RS232 Ethernet 10/100 Mbit/s TCP/IP (Windows Xp/Vista/Windows 7/2003/2008, ...UNIX, Linux...) Konfiguracija: web, ExtendView, ukazi (telnet), SNMP (MIB),... 802.1x security: PEAP, FAST, TLS, TTLS EAP; EAP-LEAP SSL for Secure Telnet, HTTPS for secure configuration	po ponudbi A
SX-500-1033 	1-portni serijski strežnik / tiskalniški strežnik, WiFi 1x serijski port: RS232 Wireless: 802.11 b/g , Ethernet 10/100 Mbit/s TCP/IP (Windows Xp/Vista/Windows 7/2003/2008, ...UNIX, Linux...) Konfiguracija: web, ExtendView, ukazi (telnet), SNMP (MIB),... 802.1x security: PEAP, FAST, TLS, TTLS EAP; EAP-LEAP SSL for Secure Telnet, HTTPS for secure configuration WPA, WPA2, Dynamic WEP in CMIC, ...	po ponudbi A




SX-500 in SX510 serial servers are compatible with many serial devices: Medical devices, Industrial and Bulding Automation, Transportation /Logistics, Access Control, POS (Point of sales), LED signs, Serial printers, any other M2M and SCADA applications - virtually and other products with a serial port.


SX-500 include serial port Emulator. We sugest you to use **Tactical Software Com-port redirector Serial/IP**. Down-load it from: www.tacticalsoftware.com. We can sell you Licence for Serial/IP. Please send us e-mail: ares@ares-rac.si.

Koda	SILEX tiskalniški strežniki	cena/kos (EUR)
Pricom 3100 	Pricom 3100 , 1-portni tiskalniški strežnik Ethernet: 10/100 Mbit/s 1x Paralel Port (Centronics/IEEE 1284) Protokoli: TCP/IP, Netware IPX/SPX, NetBEUI/NetBIOS, Apple Talk, IPP, e-mail printing Podpora za: Windows Xp/Vista/Windows 7/Windows Server 2003/2008,... Sun OS, Solaris, HP-UX, IBM AIX, Linux; Netware 3.x/4.x/5.x/6 (Bindery/NDS), MAC OS 7.6/8.x/9.x, MAC OS X (Classic), 10.2 or newer Konfiguracija: Quick Setup Utility, Admin Manager Utility, Web Browser, telnet	po ponudbi A
C-6200U 	C-6200U , tiskalniški strežnik za Canon tiskalnike Ethernet: 10/100 Mbit/s 1x USB 1.1 Full-Speed Protokol: TCP/IP (LPD,IPP*,FTP,HTTP,TELNET,DHCP,BOOTP,RARP) Podpora:Windows 9x/ME/NT4.0/2000/Xp,.... Konfiguracija: Quick Setup Utility, Web Browser, telnet Za Cannon MFP/AIO in USB tiskalnike: Canon imageCLASS CAPT Laserske tiskalnike Canon PIXMA BubbleJet tiskalnike	glejte SX-1000U SX-3000GB
C-6700WG 	C-6700WG, WiFi tiskalniški strežnik za Canon tiskalnike Wireless 802.11 g/b & Ethernet 10/100 Mbit/s 1x USB 2.0 Hi-Speed Protokol: TCP/IP Windows Xp/Vista, Windows Server 2003,... WiFi security: WEP (64/128), SSID, WPA-PSK(TKIP/AES)... Konfiguracija: Setup Utility, Web Browser, telnet, Windows Connect Now Utility SX Virtual link for networking USB devices Idealen za: Canon PIXMA Ink-Jet tiskalnike Canon imageCLASS CAPT Laserske tiskalnike Canon PIXMA Multi-Funkcijske naprave	glejte SX-2000WG

Koda	SILEX USB device strežniki / tiskalniški strežniki Za: tiskalnike, skenerje, multi-funkcijske naprave, USB storage, USB kamere, ...	cena/kos (EUR)
SX-1000U 	SX-1000U , 1-portni USB device/printer strežnik Ethernet: 10/100 Mbit/s 1x USB 2.0 Full-Speed (12Mbit) (with HUB max. 15) Protokol: TCP/IP, Podpora za: Windows Xp/Vista/Windows 7/Windows Server 2003/2008... MAC OS 10.2.7 or higher, ... Od FW ver. 1.3.1: podpora za LPR/RAW/IPP printing - printer server Konfiguracija: Quick Setup Utility, Web Browser, telnet Kompatibilen z USB napravami: tiskalniki, skenerji, storage device, CD/DVD/Zip enotami, digital kamerami, čitalci kartic,... (za USB device server priložen utility: SX Virtual LINK)	po ponudbi A
SX-2000U2 	SX-2000U2 , 1-portni USB device/printer strežnik Ethernet: 10/100 Mbit/s 1x USB 2.0 Hi-Speed (480Mbit/s) (with HUB max. 15) Protokol: TCP/IP, Podpora za: Windows Xp/Vista/Windows 7/Windows Server 2003/2008... MAC OS 10.2.7 or higher, ... Od FW ver. 2.1.3: podpora za LPR/RAW/IPP printing - printer server Konfiguracija: Quick Setup Utility, Web Browser, telnet Kompatibilen z USB napravami: tiskalniki, skenerji, storage device, CD/DVD/Zip enotami, digital kamerami, čitalci kartic,... (za USB device server priložen utility: SX Virtual LINK)	EOL glejte SX-3000GB
SX-3000GB 	SX-3000GB , 2-portni Gigabit USB device/printer strežnik NOVO Ethernet: 10/100/1000 Mbit/s 2x USB 2.0 Hi-Speed (480Mbit/s) (with HUB max. 15) Protokol: TCP/IP, Podpora za: Windows Xp/Vista/Windows 7/Windows Server 2003/2008... MAC OS 10.2.7 or higher, ... Konfiguracija: Quick Setup Utility, Web Browser, telnet Kompatibilen z USB napravami: tiskalniki, skenerji, storage device, CD/DVD/Zip enotami, digital kamerami, čitalci kartic,... (za USB device server priložen utility: SX Virtual LINK) industrijska izvedba	po ponudbi
SX-2000WG 	SX-2000WG , 1-portni USB device/printer strežnik, Wireless Wireless 802.11 g/b , Ethernet 10/100 Mbit/s 1x USB 2.0 Hi-Speed (480Mbit/s) (with HUB max. 15) Protokol: TCP/IP, Podpora za: Windows Xp/Vista/Windows 7/Windows Server 2003/2008... MAC OS 10.2.7 or higher, ... Od FW ver. 1.4.1: podpora za LPR/RAW/IPP printing - printer server WiFi security: WEP (64/128), SSID, WPA-PSK(TKIP/AES)... Konfiguracija: Quick Setup Utility, Web Browser, telnet Kompatibilen z USB napravami: tiskalniki, skenerji, storage device, CD/DVD/Zip enotami, digital kamerami, čitalci kartic,... (za USB device server priložen utility: SX Virtual LINK)	po ponudbi A

Koda	SILEX USB 4-portni tiskalniški strežniki	cena/kos (EUR)
SX-5000U2 	Silex SX-5000U2 , 4-port tiskalniški strežnik /device strežnik (akcija) Ethernet: 10/100 Mbit/s 4x USB 2.0 Hi-Speed (480Mbit/s) (with HUB max. 9) Protocol: TCP/IP, NetBEUI/NetBIOS, AppleTalk Podpora za (printer server): Windows 9x/ME/2000/Xp, ... Windows Server 2003, ... UNIX Linux; MAC OS 8.6 or higher, MAC OS X 10.2 or higher Podpora za (scanner server): Windows 2000/Xp, Windows Server 2003 Podpora za (storage server): Windows 9x/ME/2000/Xp, Windows Server 2003 Configuration: Quick Setup Utility, Admin Manager Utility, Web Browser, telnet, PRICOM USB Utility, HPJetAdmin/Web JetAdmin Compatible with: printer, scanner, storage devices and multi functional printers (MFP/All-In-One)	po ponudbi SA

Koda	Wireless Ethernet adapterji in IPv6 Converterji	cena/kos (EUR)
SX-600-1003 	SX-600 Wireless client Adapter Enterprise Wireless : 802.11 b/g Ethernet: 10 Base-T/ 100-Base-TX TCP/IP, 802.1x Security (PEAP, FAST, TLS, TTLS EAP methods) in EAP-LEAP, SSL za Secure Telnet in HTTPS za Secure Configuration Izvedba: kovinsko ohišje Uporaba: Naprave, ki imajo Ethernet lahko priključimo v Wireless.	po ponudbi
SX-2500CG 	SX-2500CG Wireless Bridge Wireless : 802.11 b/g Ethernet: 10 Base-T/ 100-Base-TX TCP/IP, 802.1x Security: WEP WPA2 Uporaba: Naprave, ki imajo Ethernet lahko priključimo v Wireless.	po ponudbi
SX-2600CV 	SX-2600CV IPv6 Converter 2x Ethernet: 10 Base-T/ 100-Base-TX AUTO-MDI/MDIX supported TCP/IP: IPv4 in IPv6 Uporaba: Omogoča IPv4 naprave v IPv6 okolju.	po ponudbi

Koda	SILEX Audio-Video Connectivity	cena/kos (EUR)
NetDA-1 	Network Display Adapter NOVO ! Ethernet: 10 Base-T/ 100-Base-TX Wireless : 802.11 b/g WiFi Security: WEP, WPA-PSK (TKIP/AES), WPA2, ... Vmesniki: RJ45, 2x USB Hi Speed, 1x analog RGB (15pin), 1x Audio Line out Display functions: do max. WUXGA (1920x1200); mirror or multi-display Podpora za: Windows Xp, Vista, Windows 7 Uporaba monitorja, tipkovnice in miške preko LAN-a ali WLAN-a Na en računalnik se lahko priklopi do 6x NetDA-1, kar pomeni do 6 VGA zaslonov na en računalnik (centralni management)	po ponudbi

Koda	KABLI - Opcije za pocket tiskalniške strežnike Za: SX-100, SX-2933S, Pricom 3100	cena/kos (EUR)
TROY-17822A	Kabel : Centronics 36pin(Ž) do tiskalnika s HD Centr.(40cm)	po ponudbi
TROY-17828A	Kabel : Centronics podaljšek, C36M->36Ž (40 cm)	po ponudbi

A -akcijska, zelo znižana cena

N -NOVO v ceniku

Cenik s cenami vam na vašo zahtevo pošljemo po e-mailu.

Garancija za SILEX proizvode je: 2 leti

Več o SILEX proizvodih (ex TROY in SILEX) na:

www.ares-rac.si